

DAS180EAQHWDB

18,000 BTU Mini-Split AC with Heat Pump in White

×



DAS180EAQHWDB

White

43.07" x 11.81" x 15.2"

109.40cm x 30.00cm x 38.61cm

30.75 lb (13.95 kg) / 35.71 lb (16.20 kg)

18,000 BTU Mini-Split AC with Heat Pump in White

FEATURES

- Designed to cool and heat rooms up to 1,000 sq. ft. with variable speed inverter ensuring this is achieved quietly and efficiently
- 19.0 SEER Rating DoE Certified: helps to save a considerable amount for heating and cooling
- Low Temp Operation: Cools in temperatures as low as -15°C (5°F) and heats down to -20°C (-4°F) ideal for year-round use.
- Refrigerant Leak Detection: the unit will automatically shut down in the event of a leakage
- Indoor unit, outdoor unit and pipes come precharged with R410A refrigerant
- High-density air filter helps remove contaminants and impurities in the air, and dual washable filters that provide quality air for your home
- Turbo Mode: enables the unit to reach the pre-set temperature in the shortest time
- Louver Angle Memory: when the unit is turned on, the louver will automatically revert to the last stored position
- Anti-Cold Draft: fan speed and louver angle adjust according to ambient temperature to prevent cold air in heating mode
- Ultra quiet unit (34 dB internally)
- We recommend that a professional HVAC technician install this appliance
- 230 Volt outlet required
- 5 YR limited warranty on parts excluding labor. See owner manual for further details

SPECIFICATIONS

Appearance

Shipping WxDxH

Product Weight/Package Weight

Colour

Installation Type	Horizontal
Primany Material	Metal
Cooling	
Refrigerant	R410a
Amount of Refrigerant	1100
Features	
✓ Dehumidifier Mode	✓ Remote Control
Performance	
Decibel Rating (High)	44 dBs
Power	
Voltage	230 V
Amperage	8 A
Wattage	1800 W
CEER Rating	19
Weight & Dimensions	
Product WxDxH	39.76" x 8.66" x 12.4"
FIOGUCE WADAII	100.99cm x 22.00cm x 31.50cm

