



SILENCING TECHNOLOGY 39.5dB

WHEN OPERATING AT THE LOWEST COOLING LEVEL.



10 20 30 40 50 60 70 80 90 100

20db Whisper 40db Library 60db Normal Conversation 90db Motorcycle

ROOM COVERAGE

8,000 BTU
Up to 350 Sq. Ft.

FEATURES

- 8,000 BTU's cools space up to 350 square feet
- R32 Refrigerant: Environmentally friendly, R32 's GWP (Global Warming Potential) is 3x lower than R410a
- Inverter Compressor: Up to 35% energy savings with advanced DC inverter technology
- U-Shape Design: provides flexibility of opening your window to allow fresh air into the room as desired.
- Silencer Technology: operates as low as 40dB. Unit is 9x quieter than traditional units.
- Energy Star® compliant
- Wireless Connect: control the temperature in your space anytime, from anywhere
- Electronic controls with LED display and remote control
- Powerful 3 speed fan allows you to adjust for your comfort
- Auto Restart: Unit automatically restarts after a power failure
- Sleep mode: Prevents the room from getting too cold while you sleep
- Energy Saver Switch: cycles the fan on and off to reduce energy consumption
- Reusable, washable air filter
- Warranty: 24 months in-home

SPECIFICATIONS

Appearance

Colour	White
Installation Type	Horizontal
Primary Material	Metal
Control Type	Digital

Capacity

Airflow	235.4
---------	-------

Cooling

Cooling Area	350 sq.ft
Ashrae (BTU) rating	8000 BTU
Refrigerant	R32
Fan Speed	3
Amount of Refrigerant	250

Features

✓ Auto Restart	✓ Dehumidifier Mode
✓ Energy Saver Switch	✓ Energy Star Rated
✓ Inverter	✓ Remote Control
✓ Removable Filter	✓ Sleep Mode
✓ Timer	✓ Wireless Enabled

Performance

Filter Type	Washable
Decibel Rating (High)	48.5 dBs
Decibel Rating (Low)	39.5 dBs

Power

Voltage	115 V
Amperage	8.8 A
Wattage	769 W
CEER Rating	10.7
Power Cord Length	59.1 "

Weight & Dimensions

Product WxDxH	19.17" x 21.97" x 13.46" 48.69cm x 55.80cm x 34.19cm
Shipping WxDxH	21.14" x 24.29" x 17.48" 53.70cm x 61.70cm x 44.40cm
Product Weight/Package Weight	59.75 lb (27.10 kg) / 66.58 lb (30.20 kg)

