



DAS180EAQHWDB

18,000 BTU Mini-Split AC with Heat Pump in White



18,000 BTU

Up to 1,000 sq. ft.

PRODUCT LOCATION IS FOR DISPLAY PURPOSE ONLY

SILENCING TECHNOLOGY

34.0dB

WHEN OPERATING AT THE LOWEST LEVEL

10 20 30 40 50 60 70 80 90 100

20db 40db 60db 90db

Whisper Library Normal Conversation Motorcycle

FEATURES

- Designed to cool and heat rooms up to 1,000 sq. ft. with variable speed inverter - ensuring this is achieved quietly and efficiently
- 19.0 SEER Rating - DoE Certified: helps to save a considerable amount for heating and cooling
- Low temp operation: operates at temperatures as low as -4F/-20C, making it ideal for scenarios that require year-round cooling - while the heat pump makes it a cold weather option
- Refrigerant leak detection: the unit will automatically shut down in the event of a leakage
- Indoor unit, outdoor unit and pipes come pre-charged with R410A refrigerant
- High-density air filter helps remove contaminants and impurities in the air, and dual washable filters that provide quality air for your home
- Turbo mode: enables the unit to reach the pre-set temperature in the shortest time
- Louver angle memory: when the unit is turned on, the louver will automatically revert to the last stored position
- Anti-cold draft: fan speed and louver angle adjust according to ambient temperature to prevent cold air in heating mode
- Ultra quiet unit (40 dB internally)
- 230 Volt outlet required
- 5 YR limited warranty on parts excluding labor. See owner manual for further details.

SPECIFICATIONS

Apperance	
Colour	White
Installation Type	Horizontal
Primany Material	Metal
Cooling	
Refrigerant	R410a
Amount of Refrigerant	1100
Features	
✓ Dehumidifier Mode	✓ Remote Control
Performance	
Decibel Rating (High)	44 dBs
Power	
Voltage	230 V
Amperage	8 A
Wattage	1800 W
CEER Rating	19
Weight & Dimensions	
Product WxDxH	39.8" x 8.7" x 12.4" 101.09cm x 22.10cm x 31.50cm
Product Weight/Package Weight	30.75 lb (13.95 kg) / 35.71 lb (16.20 kg)

