

# Danby Medical Fridges

## NIST Digital Data Logger

Danby Health is the medical division of Danby, producing freezers and fridges for medical, clinical, and scientific use. Whether in a lab, pharmacy, retirement home, or for personal use - you can trust the brand with over 70 years of quality refrigeration experience.



### 1.6 Cubic Foot Refrigerator

#### FEATURES

- Temperature Range: 36°F to 46°F (2°C to 8°C)
- Purpose-built to meet the recommendations of the CDC and VFC for reliable vaccine storage
- Separate ISO 17025:2017 Certified NIST thermometer with data logging and temperature alarm functions

#### SPECIFICATIONS

<b>Width</b>	44.93 cm	17 11/16"
<b>Depth</b>	49.21 cm	19 6/16"
<b>Height</b>	53.02 cm	20 14/16"

**DH016A1W-D**  
Digital Data Logger  
UPC 67638028028



### 3.2 Cubic Foot Refrigerator

#### FEATURES

- Temperature Range: 36°F to 46°F (2°C to 8°C)
- Purpose-built to meet the recommendations of the CDC and VFC for reliable vaccine storage
- Separate ISO 17025:2017 Certified NIST thermometer with data logging and temperature alarm functions

#### SPECIFICATIONS

<b>Width</b>	44.93 cm	17 11/16"
<b>Depth</b>	49.21 cm	19 6/16"
<b>Height</b>	87.47 cm	34 7/16"

**DH032A1W-D**  
Digital Data Logger  
UPC 67638028042



# Danby Health 3.2 Cubic Foot Medical Refrigerator - White

## DH032A1W



### FEATURES

- ▶ Temperature Stability: Engineered to maintain a steady temperature range (2°C - 8°C)(36°F - 46°F)
- ▶ Internal Forced Air Fan: Ensures even cooling from top to bottom
- ▶ Integrated Temperature Logger: Tracks refrigerator readings, a simple and definitive solution to accurate air temperature monitoring.
- ▶ High/Low Alarm: Alarm sounds when fridge air temperature rises or falls of set range.
- ▶ Keyed Door Lock: Ensures ultimate temperature control and product safety.
- ▶ Hospital Grade Power Cord: This unit features a durable hospital grade green dot power cord.
- ▶ Compact Design: Danby Health is made for fitting in, this unit is the perfect counter size for pharmacies, labs, clinics, research centers, beauty counters, senior homes and medical offices.
- ▶ UL 471 Compliant
- ▶ Antimicrobial Handle

### SPECIFICATIONS & DESCRIPTION

#### Dimensions

Product Width	44.93 cm	17 11/16"
Product Depth	49.21 cm	19 6/16"
Product Height	87.47 cm	34 7/16"

#### Shipping Details

Weight	23.1 kg	50.82lb
--------	---------	---------

#### Capacity

Loading Capacity	3.2 cu. ft.
------------------	-------------

UPC: 067638019415

#### Warranty

24 months parts and labor coverage with carry-in service. Installation and/or yearly maintenance (cleaning) are not covered under warranty.

# Traceable Excursion-Trac™ Data Logging Thermometer with Calibration: 1 Bottle Probe



## FEATURES

- ▶ Includes NIST-Traceable certificate from our A2LA accredited (1750.01) calibration laboratory.
- ▶ Memory can be cleared after downloading data & alarm events.
- ▶ Set limits for and store up to 10 unique events.
- ▶ Smart-Alarm™ with visual/audible alarm continues to alert even if conditions return to normal range.
- ▶ Triple-display: shows high, low, and current temperature simultaneously.

## INCLUDES

- ▶ Glass bottle probe with 10-ft cable, flip-open stand, hook and loop strips, magnetic strips, wall-mount receptacle, batteries, and NIST-traceable calibration certificate with data.

## SPECIFICATIONS & DESCRIPTION

Meter Measurement Type	Digital Indicator
Number of Probe Channels	1
Min Temperature (°F)	-58
Max Temperature (°F)	158
Min Temperature (°C)	-50
Max Temperature (°C)	70
Accuracy	±0.25°C
Resolution	0.01°
Data Logging	Yes
Memory Capacity	525,600 (rolling memory)
Alarm	Yes